Crep Protect Cure

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date of issue: 18/08/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Crep Protect Cure
UFI : T955-R09P-800F-PPDY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use,Consumer use
Use of the substance/mixture : Sneaker Cleaning Solution

1.3. Details of the supplier of the safety data sheet

Crep Protect LTD
Unit 2 Western Avenue Business Park,
Mansfield Road,
London W3 0BZ
United Kingdom
E-mail: info@crepprotect.com
Telephone: +44 (0) 208 200 3717

CREP PROTECT B.V.
Heksekamp 31,
5301 LX
Zaltbommel
Netherlands
E-mail: info@crepprotect.com
Telephone: +31 418799716

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital Emerency telephone number	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) +1-813-248-0585	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 3 H412
Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05 GHS09

Signal word (CLP) : Danger

Contains : Amides, coco, N,N-bis(hydroxyethyl) (4 %); Alcohols, C12-15, ethoxylated (7 %); Cedryl methyl ether (0.02 %); Edetic acid, (EDTA) (0.2 %); D-Glucopyranose, oligomers, lauryl glycosides (8 %); Alcohols, C12-18, ethoxylated (4 %)

Hazard statements (CLP) : H318 - Causes serious eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.
P391 - Collect spillage.
P501 - Dispose of contents and container to In accordance with local regulation.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
D-Glucopyranose, oligomers, lauryl glycosides	CAS-No.: 161074-87-9 EC-No.: 500-522-3	≥ 5 – < 10	Eye Irrit. 2, H319
Alcohols, C12-15, ethoxylated	CAS-No.: 68131-39-5 EC-No.: 500-195-7	≥ 5 – < 10	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411
Amides, coco, N,N-bis(hydroxyethyl)	CAS-No.: 68603-42-9 EC-No.: 271-657-0	≥ 3 – < 5	Skin Irrit. 2, H315 Eye Dam. 1, H318
Alcohols, C12-18, ethoxylated	CAS-No.: 68213-23-0 EC-No.: 500-201-8	≥ 3 – < 5	Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Ethylene glycol substance with a Community workplace exposure limit	CAS-No.: 107-21-1 EC-No.: 203-473-3 EC index No.: 603-027-00-1 REACH-no: 01-2119456816-28-XXXX	≥ 1 – < 3	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg) STOT RE 2, H373
Edetic acid, (EDTA)	CAS-No.: 60-00-4 EC-No.: 200-449-4 EC index No.: 607-429-00-8	≥ 0,1 – < 1	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If on skin and if skin irritation or rash occurs, seek medical advice and attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Ensure that folded skin of eyelids is thoroughly washed with water. Obtain immediate medical attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Organic compounds. Nitrogen oxides.

5.3. Advice for firefighters

Protection during firefighting : As in any fire, wear self-contained breathing apparatus and full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye or face protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. Do not get in eyes. Avoid contact with skin and clothing. Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear suitable protective clothing, gloves and eye or face protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. Do not get in eyes. Avoid contact with skin and clothing.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Stop leak, if possible without risk. Dam up the liquid spill.
Methods for cleaning up : Large spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Small spills: Clean up any spills as soon as possible, using an absorbent material to collect it. Wash the spill area to remove residues.
Other information : Caution : this product can cause the floor to be slippery.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of contaminated materials refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear recommended personal protective equipment. Do not get in eyes. Avoid contact with skin and clothing.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store tightly closed in a dry, cool and well-ventilated place. Keep out of direct sunlight. Floors should be impervious, resistant to liquids and easy to clean. Keep out of reach of children.
Incompatible materials : Strong oxidising agents.

7.3. Specific end use(s)

Sneaker Cleaning Solution.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Ethylene glycol (107-21-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Ethylene glycol
IOELV TWA (mg/m³)	52 mg/m³
IOELV TWA (ppm)	20 ppm
IOELV STEL (mg/m³)	104 mg/m³
IOELV STEL (ppm)	40 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Ireland - Occupational Exposure Limits	
Local name	Ethane-1,2-diol, particulate
OEL (8 hours ref) (mg/m³)	10 mg/m³ 52 mg/m³
OEL TWA	20 ppm

Ethylene glycol (107-21-1)	
OEL (15 min ref) (mg/m3)	104 mg/m³
OEL STEL	40 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values), Skin (Substances which have the capacity to penetrate intact skin when they come in contact with it and be absorbed into the body. A substantial contribution to the total body burden via dermal exposure is possible)
Regulatory reference	Chemical Agents Code of Practice 2024
United Kingdom - Occupational Exposure Limits	
Local name	Ethane-1,2-diol
WEL TWA (mg/m³)	10 mg/m³ particulate 52 mg/m³ vapour
WEL TWA (ppm)	20 ppm vapour
WEL STEL (mg/m³)	104 mg/m³ vapour
WEL STEL (ppm)	40 ppm vapour
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Edetic acid, (EDTA) (60-00-4)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	EDTA
Notes	SCOEL Recommendations (2009)

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:
Ensure adequate ventilation.

Personal protection equipment

Eye and face protection

Eye protection:
If there is a risk of liquid being splashed : Wear goggles or safety glasses with side shields if contact with the eyes is possible. Standard EN 166 - Personal eye-protection.

Skin protection

Skin and body protection:
Long sleeved clothing recommended

Hand protection:
Wear protective gloves if skin contact is possible. Standard EN 374 - Protective gloves against chemicals. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.

Other skin protection
Materials for protective clothing:
Not normally required

Respiratory protection

Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Observe occupational exposure limits and minimise the risk of exposure.

Environmental exposure controls

Environmental exposure controls:
Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Light yellow.
Appearance	:	Viscous.
Odour	:	Fragrance.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability (solid, gas)	:	Not available
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
pH	:	7 – 7,5
pH solution concentration	:	100 %
Viscosity, kinematic	:	Not available
Solubility	:	Miscible with water.
Log Kow	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	1
Relative vapour density at 20°C	:	Not available
Particle characteristics	:	Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

None known under normal conditions.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

In case of fire product can release: Carbon monoxide. Carbon dioxide. Organic compounds. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Crep Protect Cure	
LD50 oral	> 5000 mg/kg
LD50 dermal	> 10000 mg/kg

Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)	
LD50 oral, rat	12200 mg/kg

Ethylene glycol (107-21-1)	
LD50 oral, rat	7712 mg/kg
LD50 dermal	> 3500 mg/kg (mouse)
LC50 inhalation, rat (mg/l)	> 2,5 mg/l - 6 Hours (mist)

Edetic acid, (EDTA) (60-00-4)	
LD50 oral, rat	4500 mg/kg (OECD 401 method)

Skin corrosion/irritation : Not classified
pH: 7 – 7,5

Serious eye damage/irritation : Causes serious eye damage.
pH: 7 – 7,5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Ethylene glycol (107-21-1)	
STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

Aspiration hazard : Not classified

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short–term (acute) : Very toxic to aquatic life.
Hazardous to the aquatic environment, long–term (chronic) : Harmful to aquatic life with long lasting effects.

Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)	
LC50 fish	3,6 mg/l 96 h - Brachydanio rerio

Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)	
EC50 Daphnia	4,2 mg/l 96 h - Daphnia magna

Ethylene glycol (107-21-1)	
LC50 fish	> 72860 mg/l - 96 Hours (Pimephales promelas)(EPA 600/4-90/027)
EC50 Daphnia	> 100 mg/l - 48 Hours (Daphnia magna)(OECD 202 method)
EC50 72h - Algae [1]	> 100 mg/l - 72 Hours (Scenedesmus quadricauda)

Edetic acid, (EDTA) (60-00-4)	
LC50 fish	> 100 mg/l 96 Hours (OECD 203 method) (Oncorhynchus mykiss)
EC50 Daphnia	> 114 mg/l 48 Hours (OECD 202 method) (Daphnia Magna)
EC50 72h - Algae [1]	> 60 mg/l 72 Hours (OECD 201 method) (Raphidocelis subcapitata)

12.2. Persistence and degradability

Crep Protect Cure	
Persistence and degradability	Rapidly degradable.

Amides, coco, N,N-bis(hydroxyethyl) (68603-42-9)	
Persistence and degradability	Not established.

Ethylene glycol (107-21-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	90 – 100 % - 10 days (OECD 301A method)

Alcohols, C12-15, ethoxylated (68131-39-5)	
Persistence and degradability	Readily biodegradable.

Edetic acid, (EDTA) (60-00-4)	
Persistence and degradability	Not readily biodegradable, Not persistent.

D-Glucopyranose, oligomers, lauryl glycosides (161074-87-9)	
Persistence and degradability	Readily biodegradable.

Alcohols, C12-18, ethoxylated (68213-23-0)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Ethylene glycol (107-21-1)	
Log Pow	-1,36 (25 °C)

Alcohols, C12-15, ethoxylated (68131-39-5)	
Bioaccumulative potential	Bioaccumulation unlikely.

Edetic acid, (EDTA) (60-00-4)	
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

Ethylene glycol (107-21-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0 (QSAR)

12.5. Results of PBT and vPvB assessment

Crep Protect Cure
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. The correct waste code must be determined by the producer of the waste, based on how the waste has been produced.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with / ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 3082
UN-No. (IMDG) : UN 3082
UN-No. (IATA) : UN 3082
UN-No. (ADN) : UN 3082
UN-No. (RID) : UN 3082

14.2. UN proper shipping name

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated)

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated)

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated)

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated)

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated)

Transport document description (ADR) (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated), 9, III

Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-15, ethoxylated, Alcohols, C12-18, ethoxylated), 9, III


14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9

Hazard labels : 9

:




IMDG

Transport hazard class(es) (IMDG) : 9

Danger labels (IMDG) : 9

:




IATA

Transport hazard class(es) (IATA) : 9

Danger labels (IATA) : 9

:




ADN

Transport hazard class(es) (ADN) : 9

Danger labels (ADN) : 9

:




RID

Transport hazard class(es) (RID) : 9

Danger labels (RID) : 9

:



14.4. Packing group

Packing group : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-F
Other information	:	No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	M6
Special provisions (ADR)	:	274, 335, 375, 601, 650
Limited quantities (ADR)	:	5l
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions (ADR)	:	TP1, TP29
Tank code (ADR)	:	LGBV
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV13
Hazard identification number (Kemler No.)	:	90
Orange plates	:	
Tunnel restriction code (ADR)	:	-
EAC code	:	•3Z

Transport by sea

Special provisions (IMDG)	:	274, 335, 375, 969
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	LP01, P001
Special packing provisions (IMDG)	:	PP1
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T4
Tank special provisions (IMDG)	:	TP1, TP29
Stowage category (IMDG)	:	A

Air transport

PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y964
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	964
PCA max net quantity (IATA)	:	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)	:	450L
Special provisions (IATA)	:	A97, A158, A197, A215
ERG code (IATA)	:	9L

Inland waterway transport

Special provisions (ADN)	:	274, 335, 375, 601, 650
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	T
Equipment required (ADN)	:	PP

Rail transport

Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601, 650

Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading and handling (RID)	:	CW13, CW31
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3.	Ethylene glycol	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
3(b)	Crep Protect Cure ; Amides, coco, N,N-bis(hydroxyethyl) ; Ethylene glycol ; D-Glucopyranose, oligomers, lauryl glycosides ; Alcohols, C12-18, ethoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Crep Protect Cure ; Alcohols, C12-15, ethoxylated	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:	
	ADR (Accord relatif au transport international des marchandises dangereuses par route)
	BCF (Bioconcentration factor)
	CAS (Chemical Abstracts Service) number
	CLP (Classification, Labeling and Packaging)
	DNEL (Derived No Effect Level)
	EC (European Community)
	EC50 (Effective Concentration 50%)
	EN (European Norm)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IBC (Intermediate Bulk Container)
	IMDG (International Maritime Dangerous Goods Code)
	Koc (Soil adsorption coefficient)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	OECD (Organisation for Economic Co-operation and Development)
	OEL (Occupational exposure limit)
	NOAEL (No Observed Adverse Effect Level)
	NOEC (No Observed Effect Concentration)
	PBT (Persistent, Bioaccumulative and Toxic)
	PNEC (Predicted No Effect Concentration)
	QSAR (Quantitative Structure-Activity Relationship)
	REACH (Registration, Evaluation and Authorisation of CHemicals)
	STEL (Short Term Exposure Limit)
	TWA (Time Weighted Average)
	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
	UVCB (Unknown or Variable composition, Complex reaction products or Biological materials)
	vPvB (very Persistent and very Bioaccumulative)
	WAF (Water Accommodated Fraction)

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : Classification procedure according to Regulation (EC) No. 1272/2008 [CLP]: Physical hazards: On basis of test data. Health hazards: Calculation method. Environmental hazards: Calculation method.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.