Crep Protect FoamX

Version No: **2.0**
Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

SDS202404104900
Issue Date:**02/04/2025**

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name: Crep Protect FoamX
Other means of identification: Not Available
UFI: QS3S-44KP-SYEC-EN30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Clean tough stains from nylon and canvas.

Uses advised against: No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

CREP PROTECT LTD Unit 2 Western Avenue Business Park, Mansfield Road, London W3 0BZ United Kingdom Telephone: +44 (0) 208 200 3717	CREP PROTECT B.V. Heksekamp 31, 5301 LX Zaltbommel Netherlands Telephone: +31 418799716

E-mail: info@crepprotect.com
Website: www.crepprotect.com

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital Emerency telephone number	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) +1-813-248-0585	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	H315 - Skin Corrosion/Irritation Category 2, H319 - Serious Eye Damage/Eye Irritation Category 2

2.2. Label elements

Hazard pictogram(s)



Signal word: Warning

Hazard statement(s)

H315: Causes skin irritation.
H319: Causes serious eye irritation.

Precautionary statement(s) General

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P103: Read label before use..

Precautionary statement(s) Prevention

P280: Wear protective gloves, protective clothing, eye protection and face protection.
P264: Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Material contains alcohols C12-14 secondary ethoxylated, reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1).

2.3. Other hazards

Page 1 continued...

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1. Substances

See 'Composition on ingredients' in Section 3.2

3.2. Mixtures

1. CAS No 2. EC No 3. Index No 4. REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 7732-18-5 2.231-791-2 3.Not Available 4.Not Available	<100	water	Not Classified	Not Available	Not Available
1. 34590-94-8 2.252-104-2 3.Not Available 4.Not Available	<10	Dipropylene Glycol Methyl Ether	Not Classified	Not Available	Not Available
1. 84133-50-6 2. Not Available 3. Not Available 4. Not Available	<5	alcohols C12-14 secondary ethoxylated	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 1; H315, H318	Not Available	Not Available
1. Not Available 2. Not Available 3. Not Available 4. Not Available	<0.5	Essence	Not Classified	Not Available	Not Available
1. 55965-84-9 2.247-500-7 3.613-167-00-5 4.Not Available	0.0014	reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410	Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015% M=100 M(Chronic)=100	Not Available

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact

If this product comes in contact with eyes:
- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact

If skin contact occurs:
- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

Inhalation

- If fumes, aerosols or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

Ingestion

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.
Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility

Continued...

None known.

5.3. Advice for firefighters

Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.

Fire/Explosion Hazard

Combustion products include:
carbon dioxide (CO_2)
other pyrolysis products typical of burning organic material.
May emit corrosive fumes.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills

- Remove all ignition sources.
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.

Major Spills

Moderate hazard.
- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- **DO NOT** allow clothing wet with material to stay in contact with skin

Fire and explosion protection

See section 5

Other information

- Store in original containers.
- Keep containers securely sealed.
- No smoking, naked lights or ignition sources.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container

- Metal can or drum
- Packaging as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

None known

Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)

Not Available

Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of

Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Dipropylene Glycol Methyl Ether	Dermal 283 mg/kg bw/day (Systemic, Chronic) Inhalation 308 mg/m³ (Systemic, Chronic)	19 mg/L (Water (Fresh)) 190 mg/L (Water - Intermittent release) 1.9 mg/L (Water (Marine)) 70.2 mg/kg sediment dw (Sediment (Fresh

Continued...

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
	*Dermal 121 mg/kg bw/day (Systemic, Chronic) ** *Inhalation 37.2 mg/m³ (Systemic, Chronic) ** *Oral 36 mg/kg bw/day (Systemic, Chronic) **	Water)) 7.02 mg/kg sediment dw (Sediment (Marine)) 2.74 mg/kg soil dw (Soil) 4168 mg/L (STP)
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	Inhalation 0.02 mg/m³ (Local, Chronic) Inhalation 0.04 mg/m³ (Local, Acute) *Oral 0.09 mg/kg bw/day (Systemic, Chronic) ** *Inhalation 0.02 mg/m³ (Local, Chronic) ** *Oral 0.11 mg/kg bw/day (Systemic, Acute) ** *Inhalation 0.04 mg/m³ (Local, Acute) **	3.39 µg/L (Water (Fresh)) 3.39 µg/L (Water - Intermittent release) 3.39 µg/L (Water (Marine)) 0.027 mg/kg sediment dw (Sediment (Fresh Water)) 0.027 mg/kg sediment dw (Sediment (Marine)) 0.01 mg/kg soil dw (Soil) 0.23 mg/L (STP)

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	Dipropylene Glycol Methyl Ether	Dipropyleneglycol monomethylether	50 ppm / 308 mg/m3	Not Available	Not Available	Skin
Germany Recommended Exposure Limits - MAK Values	Dipropylene Glycol Methyl Ether	Dipropylene glycol monomethyl ether (mixture of isomers)	50 ppm / 310 mg/m3	310 mg/m3 / 50 ppm	Not Available	The substance can occur simultaneously as vapour and aerosol.; Preg gr: D
Germany TRGS 900 - Limit Values for the Workplace Atmosphere (German)	Dipropylene Glycol Methyl Ether	(2-Methoxymethylethoxy)propanol (Isomerengemisch)	50 ppm / 310 mg/m3	Not Available	Not Available	Not Available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
The basic types of engineering controls are:
Process controls which involve changing the way a job activity or process is done to reduce the risk.

8.2.2. Individual protection measures, such as personal protective equipment



Eye and face protection

- Safety glasses with side shields.
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin protection

See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C apron.
- Barrier cream.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance : Purple Liquid

Physical state	Liquid	**Relative density (Water = 1)**	<1
Odour	Slight Fragrance	**Partition coefficient n-octanol / water**	Not Available
Odour threshold	Not Available	**Auto-ignition temperature (°C)**	Not Available

Continued...

pH (as supplied)	Not Available	**Decomposition temperature (°C)**	Not Available
Melting point / freezing point (°C)	Not Available	**Viscosity (cSt)**	Not Available
Initial boiling point and boiling range (°C)	Not Available	**Molecular weight (g/mol)**	Not Available
Flash point (°C)	*>100℃(close up)*	**Taste**	Not Available
Evaporation rate	Not Available	**Explosive properties**	*Product does not present an explosion hazard*
Flammability	Not Applicable	**Oxidising properties**	Not Available
Upper Explosive Limit (%)	Not Available	**Surface Tension (dyn/cm or mN/m)**	Not Available
Lower Explosive Limit (%)	Not Available	**Volatile Component (%vol)**	Not Available
Vapour pressure (kPa)	Not Available	**Gas group**	Not Available
Solubility in water	Miscible	**pH as a solution (1%)**	9-10
Vapour density (Air = 1)	Not Available	**VOC g/L**	Not Available
Nanoform Solubility	Not Available	**Nanoform Particle Characteristics**	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1. Reactivity:

See section 7.2

10.2. Chemical stability:

- Unstable in the presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

10.3. Possibility of hazardous reactions:

See section 7.2

10.4. Conditions to avoid:

See section 7.2

10.5. Incompatible materials:

See section 7.2

10.6. Hazardous decomposition products:

See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Crep Protect Foam X (Foam Sneaker Cleaner)	No data available for product
Dipropylene Glycol Methyl Ether	**TOXICITY** Dermal (rabbit) LD50: 9500 mg/kg Oral (Rat) LD50: 5135 mg/kg
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	**TOXICITY** / **IRRITATION** Oral (Mouse) LD50; 60 mg/kg / Eye: adverse effect observed (irreversible damage) Oral (Rat) LD50: 53 mg/kg / Skin: adverse effect observed (corrosive)
Skin Irritation/Corrosion	Causes skin irritation
Serious Eye Damage/Irritation	Causes serious eye irritation
Respiratory or Skin sensitisation	Not Classified
Mutagenicity	Not Classified
Carcinogenicity	Not Classified
Reproductivity	Not Classified
STOT - Single Exposure	Not Classified
STOT - Repeated Exposure	Not Classified
Aspiration Hazard	Not Classified
	Not Classified

Continued...

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

FOAM SNEAKER CLEANER	No data available for product
Dipropylene Glycol Methyl Ether	

Endpoint	Test Duration (hr)	Species	Value
EC50	48h	Crustacea	1930mg/l
EC50	96h	Algae or other aquatic plants	>969mg/l
EC50	72h	Algae or other aquatic plants	>969mg/l
NOEC(ECx)	528h	Crustacea	>=0.5mg/l
LC50	96h	Fish	>1000mg/l

reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)

Endpoint	Test Duration (hr)	Species	Value
EC50	48h	Crustacea	0.007mg/l
EC50	96h	Algae or other aquatic plants	0.036mg/L
EC50	72h	Algae or other aquatic plants	0.006mg/L
NOEC(ECx)	48h	Algae or other aquatic plants	<0.001mg/L
LC50	96h	Fish	0.129mg/l

For Propylene Glycol Ethers: log Kow's range from 0.309 for TPM to 1.523 for DPnB. Calculated BCFs range from 1.47 for DPnB to 3.16 for DPMA and TPM, indicating low bioaccumulation. Henry's Law Constants are low for all category members, ranging from 5.7 x 10-9 atm-m3/mole for TPM to 2.7 x10-9 atm-m3/mole for PnB.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW
Dipropylene Glycol Methyl Ether	HIGH	HIGH

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
Dipropylene Glycol Methyl Ether	LOW (BCF = 100)

12.4. Mobility in soil

Ingredient	Mobility
Dipropylene Glycol Methyl Ether	LOW (Log KOC = 10)

12.5. Results of PBT and vPvB assessment

	P	B	T
Relevant available data	Not Available	Not Available	Not Available
PBT	No	No	No
vPvB	No	No	No

PBT Criteria fulfilled?	No
vPvB	No

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

- **DO NOT** allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.

Continued...

– In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
– Recycle wherever possible or consult manufacturer for recycling options.
– Consult State Land Waste Authority for disposal.
– Bury or incinerate residue at an approved site.

Waste treatment options
Not Available

Sewage disposal options
Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant
NO

Land transport (2025 ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
Class: **Not Applicable**
Subsidiary Hazard: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Hazard identification (Kemler): **Not Applicable**
Classification code: **Not Applicable**
Hazard Label: **Not Applicable**
Special provisions: **Not Applicable**
Limited quantity: **Not Applicable**
Tunnel Restriction Code: **Not Applicable**

Air transport (ICAO-IATA / DGR 66TH EDITION): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
ICAO/IATA Class: **Not Applicable**
ICAO / IATA Subsidiary Hazard: **Not Applicable**
ERG Code: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Special provisions: **Not Applicable**
Cargo Only Packing Instructions: **Not Applicable**
Cargo Only Maximum Qty / Pack: **Not Applicable**
Passenger and Cargo Packing Instructions: **Not Applicable**
Passenger and Cargo Maximum Qty / Pack: **Not Applicable**
Passenger and Cargo Limited Quantity Packing Instructions: **Not Applicable**
Passenger and Cargo Limited Maximum Qty / Pack: **Not Applicable**

Sea transport (IMDG-Code 41-22/ GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
IMDG Class: **Not Applicable**
IMDG Subsidiary Hazard: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5 Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
EMS Number: **Not Applicable**
Special provisions: **Not Applicable**
Limited Quantities: **Not Applicable**

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
Not Applicable: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Classification code: **Not Applicable**
Special provisions: **Not Applicable**
Limited quantity: **Not Applicable**
Equipment required: **Not Applicable**
Fire cones number: **Not Applicable**

Continued...

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

water is found on the following regulatory lists

Europe EC Inventory

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

Dipropylene Glycol Methyl Ether is found on the following regulatory lists

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)

Europe EC Inventory

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

Germany Classification of Substances Hazardous to Waters (WGK)

Germany Recommended Exposure Limits - MAK Values

Germany Recommended Exposure Limits - MAK Values - Pregnancy Risk Group Classifications & Germ Cell Mutagens

Germany TRGS 900 - Limit Values for the Workplace Atmosphere (German)

alcohols C12-14 secondary ethoxylated is found on the following regulatory lists

Not Applicable

Essence is found on the following regulatory lists

Not Applicable

reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) is found on the following regulatory lists

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Germany Classification of Substances Hazardous to Waters (WGK)

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category: Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.3. Classification of Substances and Mixtures into Water Hazard Classes

Preparation is WGK 1

Name	WGK	Score	Source
WATER	non-hazardous to waters	0	Calculated
Dipropylene Glycol Methyl Ether	1		From Regulation
alcohols C12-14 secondary ethoxylated	non-hazardous to waters	0	Calculated
Essence	non-hazardous to waters	0	Calculated
reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1)	3		From Regulation

SECTION 16 Other information

Revision Date: 02/04/2025
Initial Date: 11/04/2024

Full text Risk and Hazard codes

H301: Toxic if swallowed.
H310: Fatal in contact with skin.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Other information

Continued...

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.
For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:
EN 166 Personal eye-protection
EN 340 Protective clothing
EN 374 Protective gloves against chemicals and micro-organisms
EN 13832 Footwear protecting against chemicals
EN 133 Respiratory protective devices

Definitions and abbreviations

- PC - TWA: Permissible Concentration-Time Weighted Average
- PC - STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration