Crep Protect Foam Mini

Version No:**1.0**
Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

SDS202503145455
Issue Date:**17/03/2025**

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name: Crep Protect Foam Mini
Other means of identification: UFI: 2STA-2T79-GN44-3YNQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:
Clean tough stains.
Uses advised against: No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

CREP PROTECT LTD Unit 2 Western Avenue Business Park, Mansfield Road, London W3 0BZ United Kingdom E-mail: info@crepprotect.com Telephone: +44 (0) 208 200 3717	CREP PROTECT B.V. Heksekamp 31, 5301 LX Zaltbommel Netherlands E-mail: info@crepprotect.com Telephone: +31 418799716

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital Emerency telephone number	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) +1-813-248-0585	

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	H315 - Skin Corrosion/Irritation Category 2, H319 - Serious Eye Damage/Eye Irritation Category 2

2.2. Label elements

Hazard pictogram(s)



Signal word: Warning

Hazard statement(s)

H315: Causes skin irritation.
H319: Causes serious eye irritation.

Precautionary statement(s) General

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P103: Read carefully and follow all instructions.

Precautionary statement(s) Prevention

P280: Wear protective gloves, protective clothing, eye protection and face protection.
P264: Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

Material contains 2-[3-(dodecanoylamino)propyl-dimethylazaniumyl]acetate, 5-chloro-2-methyl-4-isothiazolin-3-one.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1. Substances

See 'Composition on ingredients' in Section 3.2

3.2. Mixtures

1. CAS No 2. EC No 3. Index No 4. REACH No	% [weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 7732-18-5 2.231-791-2 3. Not Available 4. Not Available	<50	De-Ionized Water	Non hazardous	SCL: Not Available Acute M factor: Not Applicable Chronic M factor: Not Applicable	Not Available
1. 9004-82-4 2. Not Available 3. Not Available 4. Not Available	<10	Sodium Alcohol Ether Sulphate	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2; H315, H319	SCL: Not Available Acute M factor: Not Applicable Chronic M factor: Not Applicable	Not Available
1. 34590-94-8 2.252-104-2 3. Not Available 4. Not Available	<10	Dipropylene glycol monomethyl ether	Non hazardous	SCL: Not Available Acute M factor: Not Applicable Chronic M factor: Not Applicable	Not Available
1. 86438-79-1 2. Not Available 3. Not Available 4. Not Available	<5	Coloamidopropyl betaine	Serious Eye Damage/Eye Irritation Category 1; H318	SCL: Not Available Acute M factor: Not Applicable Chronic M factor: Not Applicable	Not Available
1. Not Available 2. Not Available 3. Not Available 4. Not Available	0.5	Essence	Non hazardous	SCL: Not Available Acute M factor: Not Applicable Chronic M factor: Not Applicable	Not Available
1. 55965-84-9 2.247-500-7 3.613-167-00-5 4.Not Available	0.0014	2-Methyl-1,2-thiazol-3(2H)one -5-chloro-2 methyl-1,2thiazol-3(2H)-one	Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 2, Skin Corrosion/Irritation Category 1C, Sensitisation (Skin) Category 1A, Serious Eye Damage/Eye Irritation Category 1, Acute Toxicity (Inhalation) Category 2, Hazardous to the Aquatic Environment Acute Hazard Category 1, Hazardous to the Aquatic Environment Long-Term Hazard Category 1; H301, H310, H314, H317, H318, H330, H400, H410	Skin Corr. 1C; H314: C ≥ 0,6 % | Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % | Eye Dam. 1; H318: C ≥ 0,6 % | Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % | Sensitisation (Skin) Category 1A; H317: C ≥ 0,0015 % | M=100 | M=100 Acute M factor: 100 Chronic M factor: 100	Not Available

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact

If this product comes in contact with eyes:
- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin Contact

If skin contact occurs:
- Immediately remove all contaminated clothing, including footwear.
- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

Inhalation

- If fumes, aerosols or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

Ingestion

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed
See Section 11

4.3. Indication of any immediate medical attention and special treatment needed
Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media
The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.
Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility
None known.

5.3. Advice for firefighters

Fire Fighting
- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses.

Fire/Explosion Hazard
- The material is not readily combustible under normal conditions.
- However, it will break down under fire conditions and the organic component may burn.
- Not considered to be a significant fire risk.

Decomposes on heating and produces toxic fumes of:
carbon dioxide (CO_2)
other pyrolysis products typical of burning organic material.
May emit corrosive fumes.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
See section 8

6.2. Environmental precautions
See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills
- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.

Major Spills
Moderate hazard.
- Clear area of personnel and move upwind.
- Alert Fire Brigade and tell them location and nature of hazard.

6.4. Reference to other sections
Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling
Product is moisture sensitive; handle under a dry, inert gas.
Nitrogen with less than 5 ppm each of moisture and oxygen is recommended
- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- **DO NOT** allow clothing wet with material to stay in contact with skin

Fire and explosion protection
See section 5

Other information
Consider storage under inert gas.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container
- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility
None known
- **NOTE:** May develop pressure in containers; open carefully. Vent periodically.
- Segregate from alcohol, water.

Hazard categories in accordance with Regulation (EC) No 2012/18/EU (Seveso III)
Not Available

Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of

Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Dipropylene glycol monomethyl ether	Dermal 283 mg/kg bw/day (Systemic, Chronic) Inhalation 308 mg/m³ (Systemic, Chronic) *Dermal 121 mg/kg bw/day (Systemic, Chronic) ** *Inhalation 0.0372 mg/m³ (Systemic, Chronic) ** *Oral 36 mg/kg bw/day (Systemic, Chronic) **	19 mg/L (Water (Fresh)) 190 mg/L (Water - Intermittent release) 1.9 mg/L (Water (Marine)) 70.2 mg/kg sediment dw (Sediment (Fresh Water)) 7.02 mg/kg sediment dw (Sediment (Marine)) 2.74 mg/kg soil dw (Soil) 4168 mg/L (STP)
Essence	Not Available	0.007 mg/L (Water (Fresh)) 0.067 mg/L (Water - Intermittent release) 0.001 mg/L (Water (Marine)) 0.18 mg/kg sediment dw (Sediment (Fresh Water)) 0.018 mg/kg sediment dw (Sediment (Marine)) 0.032 mg/kg soil dw (Soil) 0.31 mg/L (STP)

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Spain Occupational Exposure Limit for Chemical Agents	Dipropylene glycol monomethyl ether	Dipropylene glycol monomethyl ether	50 ppm / 308 mg/m3	Not Available	Not Available	Skin, VLI
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	Dipropylene glycol monomethyl ether	Dipropylene glycol monomethyl ether	50 ppm / 308 mg/m3	Not Available	Not Available	Skin

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
The basic types of engineering controls are:
Process controls which involve changing the way a job activity or process is done to reduce the risk.

8.2.2. Individual protection measures, such as personal protective equipment



Eye and face protection

- Safety glasses with side shields.
- Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent]
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin protection

See Hand protection below

Hands/feet protection

- Wear chemical protective gloves, e.g. PVC.
- Wear safety footwear or safety gumboots, e.g. Rubber

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Body protection

See Other protection below

Other protection

- Overalls.
- P.V.C apron.
- Barrier cream.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Transparent Liquid

Physical state	Liquid	**Relative density (Water = 1)**	1
Odour	Slight fragance	**Partition coefficient n-octanol / water**	Not Available
Odour threshold	Not Available	**Auto-ignition temperature (°C)**	Not Available
pH (as supplied)	7-8	**Decomposition temperature (°C)**	Not Available
Melting point / freezing point (°C)	Not Available	**Viscosity (cSt)**	Not Available
Initial boiling point and boiling range (°C)	Not Available	**Molecular weight (g/mol)**	Not Available
Flash point (°C)	>100	**Taste**	Not Available
Evaporation rate	Not Available	**Explosive properties**	Product does not present an explosionhazard
Flammability	Not Applicable	**Oxidising properties**	Not Available
Upper Explosive Limit (%)	Not Available	**Surface Tension (dyn/cm or mN/m)**	Not Available
Lower Explosive Limit (%)	Not Available	**Volatile Component (%vol)**	Not Available
Vapour pressure (kPa)	Not Available	**Gas group**	Not Available
Solubility in water	Souble	**pH as a solution (1%)**	Not Available
Vapour density (Air = 1)	Not Available	**VOC g/L**	Not Available
Heat of Combustion (kJ/g)	Not Available	**Ignition Distance (cm)**	Not Available
Flame Height (cm)	Not Available	**Flame Duration (s)**	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	**Enclosed Space Ignition Deflagration Density (g/m3)**	Not Available
Nanoform Solubility	Not Available	**Nanoform Particle Characteristics**	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1. Reactivity:

See section 7.2

10.2. Chemical stability:

- Unstable in the presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerisation will not occur.

10.3. Possibility of hazardous reactions:

See section 7.2

10.4. Conditions to avoid:

See section 7.2

10.5. Incompatible materials:

See section 7.2

10.6. Hazardous decomposition products:

See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

a) Acute Toxicity

Based on available data, the classification criteria are not met.

b) Skin Irritation/Corrosion

There is sufficient evidence to classify this material as skin corrosive or irritating.

c) Serious Eye Damage/Irritation

There is sufficient evidence to classify this material as eye damaging or irritating

d) Respiratory or Skin sensitisation

Based on available data, the classification criteria are not met.

e) Mutagenicity

Based on available data, the classification criteria are not met.

f) Carcinogenicity

Based on available data, the classification criteria are not met.

g) Reproductivity

Based on available data, the classification criteria are not met.

h) STOT - Single Exposure

Based on available data, the classification criteria are not met.

i) STOT - Repeated Exposure

Based on available data, the classification criteria are not met.

j) Aspiration Hazard

Based on available data, the classification criteria are not met.

Crep Protect Foam Mini (Foam Sneaker Cleaner)	No data available for product
Sodium Alcohol Ether Sulphate	**TOXICITY** / **IRRITATION** Oral (Rat) LD50: >2000 mg/kg / Eye (Rodent - rabbit): 100uL/24H - Severe Oral (Rat) LD50: 1600 mg/kg / Skin (Rodent - rabbit): 500mg/24H - Severe
Dipropylene glycol monomethyl ether	**TOXICITY** / **IRRITATION** Dermal (rabbit) LD50: 9500 mg/kg / Eye: no adverse effect observed (not irritating) Oral (Rat) LD50: 5135 mg/kg / Skin: no adverse effect observed (not irritating)

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

Crep Protect Foam Mini (Foam Sneaker Cleaner)	No data available for product
Sodium Alcohol Ether Sulphate	**Endpoint** / **Test Duration (hr)** / **Species** / **Value** EC50 / 48h / Crustacea / 2.43-4.01mg/l NOEC(ECx) / 48h / Fish / 0.26mg/L
Dipropylene glycol monomethyl ether	**Endpoint** / **Test Duration (hr)** / **Species** / **Value** EC50 / 48h / Crustacea / 1930mg/l EC50 / 72h / Algae or other aquatic plants / >969mg/l EC50 / 96h / Algae or other aquatic plants / >969mg/l NOEC(ECx) / 528h / Crustacea / >=0.5mg/l LC50 / 96h / Fish / >1000mg/l

For Propylene Glycol Ethers: log Kow's range from 0.309 for TPM to 1.523 for DPnB. Calculated BCFs range from 1.47 for DPnB to 3.16 for DPMA and TPM, indicating low bioaccumulation. Henry's Law Constants are low for all category members, ranging from 5.7 x 10-9 atm-m3/mole for TPM to 2.7 x10-9 atm-m3/mole for PnB.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
Dipropylene glycol monomethyl ether	HIGH	HIGH

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	LOW (LogKOW = 1.62)
Dipropylene glycol monomethyl ether	LOW (BCF = 100)

12.4. Mobility in soil

Ingredient	Mobility
Dipropylene glycol monomethyl ether	LOW (Log KOC = 10)

Ingredient	Mobility

12.5. Results of PBT and vPvB assessment

	P	B	T
Relevant available data	Not Available	Not Available	Not Available
PBT	No	No	No
vPvB	No	No	No

PBT Criteria fulfilled?	No
vPvB	No

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

- **DO NOT** allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material).

Waste treatment options

Not Available

Sewage disposal options

Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant

NO

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
Class: **Not Applicable**
Subsidiary Hazard: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Hazard identification (Kemler): **Not Applicable**
Classification code: **Not Applicable**
Hazard Label: **Not Applicable**
Special provisions: **Not Applicable**
Limited quantity: **Not Applicable**
Transport Category: **Not Applicable**
Tunnel Restriction Code: **Not Applicable**

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
ICAO/IATA Class: **Not Applicable**
ICAO / IATA Subsidiary Hazard: **Not Applicable**
ERG Code: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Special provisions: **Not Applicable**
Cargo Only Packing Instructions: **Not Applicable**
Cargo Only Maximum Qty / Pack: **Not Applicable**
Passenger and Cargo Packing Instructions: **Not Applicable**
Passenger and Cargo Maximum Qty / Pack: **Not Applicable**
Passenger and Cargo Limited Quantity Packing Instructions: **Not Applicable**

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
IMDG Class: **Not Applicable**
IMDG Subsidiary Hazard: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5 Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
EMS Number: **Not Applicable**
Special provisions: **Not Applicable**
Limited Quantities: **Not Applicable**

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number: **Not Applicable**
14.2. UN proper shipping name: **Not Applicable**
14.3. Transport hazard class(es):
Not Applicable: **Not Applicable**
14.4. Packing group: **Not Applicable**
14.5. Environmental hazard: **Not Applicable**
14.6. Special precautions for user:
Classification code: **Not Applicable**
Special provisions: **Not Applicable**
Limited quantity: **Not Applicable**
Equipment required: **Not Applicable**
Fire cones number: **Not Applicable**

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

water is found on the following regulatory lists

- Europe EC Inventory
- European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

sodium lauryl ether sulfate is found on the following regulatory lists

- Not Applicable

Dipropylene Glycol Methyl Ether is found on the following regulatory lists

- EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)
- Europe EC Inventory
- European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
- Spain Occupational Exposure Limit for Chemical Agents

2-[3-(dodecanoylamino)propyl-dimethylazaniumyl]acetate is found on the following regulatory lists

- Not Applicable

5-chloro-2-methyl-4-isothiazolin-3-one is found on the following regulatory lists

- Europe EC Inventory
- European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)
- European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

Additional Regulatory Information

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category: Not Available

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16 Other information

Revision Date: 17/03/2025
Initial Date: 17/03/2025

Full text Risk and Hazard codes

H301: Toxic if swallowed.
H310: Fatal in contact with skin.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.

H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Other information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.

Definitions and abbreviations

- PC - TWA: Permissible Concentration-Time Weighted Average
- PC - STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit。
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- MARPOL: International Convention for the Prevention of Pollution from Ships
- IMSBC: International Maritime Solid Bulk Cargoes Code
- IGC: International Gas Carrier Code
- IBC: International Bulk Chemical Code
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substance
-

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
Skin Corrosion/Irritation Category 2, H315	Expert judgement
Serious Eye Damage/Eye Irritation Category 2, H319	Expert judgement